

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27434307	@ad<"20030715" @rlad<"20030715"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:50
L2	29	(implicit adj null)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:51
L3	14	L2 and 1	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:51
L4	0	(penultimate adj hop adj popping) same (permission with pop)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:38
L5	108	(penultimate adj hop adj popping)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:39
L6	0	(penultimate adj hop adj popping) and (permission with pop)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:39
L7	3	(penultimate adj hop adj popping) and (permission)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:39
L8	0	7 and 1	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:39

L9	:0	(penultimate adj hop adj popping) and (inform\$4 with pop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:40
L10	108	(penultimate adj hop adj popping) and (pop\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:40
L11	:44	10 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:41
S1	27434307	@ad<"20030715" @lad<"20030715"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 12:14
S2	151945	"370".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 12:15
S3	6632	370/392.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 12:15
S4	:2	"5243592".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 12:19
S5	:47	((identif\$5 recogniz\$4) with (endpoint (end adj point) end) with ((discard\$3 delet \$3 dump\$3 dispos\$4 "throw \$4 adj out" "throw\$4 adj away" drop\$5 eliminat\$4 remov\$4 rid\$5 strip\$4 pop \$4) with header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 13:03
S6	:20	S5 and S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 13:04

S7	34	((permission permit\$4) with ((discard\$3 delet\$3 dump\$3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" drop\$5 eliminat\$4 remov\$4 rid\$5 strip\$4 pop\$4) with header))	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 13:08
S8	23	S7 and S1	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 13:09
S9	113	penultimate adj hop adj pop \$4	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 13:12
S10	47	S9 and S1	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 13:12
S11	96	(penultimate adj hop adj pop \$4) and (label with pop\$4)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 13:13
S12	45	S11 and S1	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 13:13
S13	2	"20030053414".pn.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 14:41
S14	2	"20020136223"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 14:54

S15	:3	(identif\$5 recogniz\$4) with (endpoint (end adj point) end) with ((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throwS4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header with address)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 15:36
S16	:2	S15 and S1	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 15:37
S17	9018	address with (end adj point) end) with ((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throwS4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 15:45
S18	2068646	(address near2 header) with (end adj point) end) with ((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throwS4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 15:46
S19	247926	((address near2 header) with (end adj point) end) with ((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throwS4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4)) same forward\$4	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 15:47
S20	184677	((address near2 header) with (end adj point) end) with ((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throwS4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4)) same (forward\$4 with ((end adj point) end))	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 15:48
S21	:3173	((((address near2 header) with (end adj point) end) with ((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throwS4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4)) same (forward\$4 with ((end adj point) end))) and tunnel	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 15:49

S22	0	((address near2 header) with ((end adj point) end) with (discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4)) same (forward\$4 with ((end adj point) end)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 15:51
S23	6	((address near2 header) with ((end adj point) end) with (discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 15:51
S24	4	S23 and S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 15:52
S25	2214	((internet adj protocol)(ip)) adj (tunneling tunnel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:11
S26	302	((internet adj protocol)(ip)) adj (tunneling tunnel) and ((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:15
S27	68	((internet adj protocol)(ip)) adj (tunneling tunnel) and ((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header with forward\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:16
S28	99	((internet adj protocol)(ip)) adj (tunneling tunnel) and (((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header) same forward\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:16

S29	66	S28 and S1	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:16
S30	21	((internet adj protocol)(ip)) adj (tunneling tunnel) and (((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header with address) same forward\$4)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:18
S31	11	S30 and S1	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:18
S34	14	((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header with address) same (forward \$4 with neighbor)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 21:19
S35	27434307	@ad<"20030715" @rlad<"20030715"	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 21:19
S36	0	S34 and S35	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 21:19
S37	1	((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header) same (forward\$4 with neighbor with payload)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 21:21
S38	0	S37 and S35	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 21:22

S39	0	(ip adj2 ip) same ((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throwS4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header with (forward near2 payload))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 22:20
S40	423	(ip adj2 ip) same ((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throwS4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 22:20
S41	23	(ip adj2 ip) same ((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throwS4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header with forward\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 22:21
S42	12	S41 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 22:21
S43	0	(((internet adj protocol)(ip)) adj (tunneling tunnel) and (((discardS3 delet\$3 dumpS3 dispos\$4 "throw\$4 adj out" "throwS4 adj away" dropS5 eliminat\$4 remov\$4 ridS5 stripS4 pop\$4) with header with address) same forward\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 22:49
S44	3	"20040001508"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 23:54
S45	0	(remov\$4 adj header) with ((forward\$4 near2 payload) with neighbor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 00:26
S46	0	(remov\$4 adj header) with ((forward\$4 with payload) with neighbor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 00:27

S47	:2	((discard\$3 delet\$3 dump\$3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" drop\$5 eliminat\$4 remov\$4 rid\$5 strip\$4 pop\$4) with header) and (forward\$4 with neighbor with payload)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 00:27
S54	:0	(ler with (advertising adj label) with value) and php	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:43
S55	:0	(ler with (advertising adj label) with value)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:43
S56	:0	(ler with (advertising adj label)) and php	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:43
S57	:0	(ler with (advertising adj label))	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:44
S58	:1	(ler with (advertis\$4 near label))	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:44
S59	:0	(ler with lsr with (neighbor neighbour) with php)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:45
S60	:0	((label adj edge adj router) with (label adj switch adj router) with (neighbor neighbour) with php)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:46
S61	:0	php and (implicit adj null)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:47

S62	:29	(implicit adj null)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPC; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:50
-----	-----	---------------------	---	----	----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S32	0	"10620866"	USPAT; UPAD	OR	ON	2010/02/12 14:51
S33	0	"Term Removed"	USPAT; UPAD	OR	ON	2010/02/12 14:51
S48	0	(((discards\$3 delet\$3 dump\$3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" drop\$5 eliminat\$4 remov\$4 rid\$5 strip\$4 pop\$4) with header with address) same (forward \$4 with neighbor)).clm.	USPAT; UPAD	OR	ON	2010/02/12 22:49
S49	0	(((internet adj protocol)(ip)) adj (tunneling tunnel) and (((discards\$3 delet\$3 dump\$3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" drop\$5 eliminat\$4 remov\$4 rid\$5 strip\$4 pop\$4) with header with address) same forward (\$4)).clm.	USPAT; UPAD	OR	ON	2010/02/12 22:50
S50	13	(((internet adj protocol)(ip)) adj (tunneling tunnel) and (((discards\$3 delet\$3 dump\$3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" drop\$5 eliminat\$4 remov\$4 rid\$5 strip\$4 pop\$4) with header with address)).clm.	USPAT; UPAD	OR	ON	2010/02/12 22:50
S51	0	(((discards\$3 delet\$3 dump\$3 dispos\$4 "throw\$4 adj out" "throw\$4 adj away" drop\$5 eliminat\$4 remov\$4 rid\$5 strip\$4 pop\$4) and header and address) and (forward\$4 with neighbor)).clm.	USPAT; UPAD	OR	ON	2010/02/12 22:51
S52	1	"6452915".PN.	USPAT	OR	ON	2010/02/12 23:26
S53	1	"20040001508"	USPAT; UPAD	OR	ON	2010/02/12 23:53

2/13/2010 11:07:36 AM

C:\Documents and Settings\asol\My Documents\EAST\Workspaces\10620866_new.wsp